

# Technical Specification

**Category:** Grafham Linear

**Part Number:** 430962

**Description:** Grafham 3.5W Conversion Pack 50-300V DC 0-40mA  
LifePO4 3.2V DC 3.2Ah Plug & Play E-SEL3 Emergency



## Product Features:



## General information:

Wattage (W)	3.5
IP Rating	20
IK Rating	3
Paint Finish (RAL)	9003

## Technical information:

Application Location	Internal
Input Type	220-240V AC
Operating Temperature To	30
Product Warranty (Years)	5
Driver Brand	Lumineux
Socket	N/A
Frequency (Hz)	50   60
Install Options	BESA/Conduit
Install Type	Plug Connector
Replaceable Driver	Professional
Replaceable LED	Professional
Body Material	Polycarbonate
Maintained	Maintained/Non-Maintained
Emergency Wattage (W)	2.5
Emergency IP Rating	20
Cell Type	YH IFR18650 - LiFePO4
Capacity (mAh)	3200
Recharge Time (Hours)	24
Emergency Duration (Hours)	3
Charge Current (mA)	250
Battery Size (V/Ah)	3.2 / 3.2
Battery Temperature (To) (°C)	30
Module Length (mm)	170
Module Width (mm)	54
Module Height (mm)	32
Battery Length (mm)	1300
Battery Width (mm)	20

# Technical Specification

**Category:** Grafham Linear

**Part Number:** 430962

**Description:** Grafham 3.5W Conversion Pack 50-300V DC 0-40mA  
LifePO4 3.2V DC 3.2Ah Plug & Play E-SEL3 Emergency



## Technical information:

Battery Height (mm)	20
Battery Discharge (mA)	130
Sensor Technology	Microwave

## Compatible Products:



431300

Holywell Batten 4ft Single 19W  
4000K White Plug & Play



431301

Holywell Batten 4ft Twin 30W  
4000K White Plug & Play



431302

Holywell Batten 5ft Single 20W  
4000K White Plug & Play



431303

Holywell Batten 5ft Twin 43W  
4000K White Plug & Play



431304

Holywell Batten 6ft Single 30W  
4000K White Plug & Play



431305

Holywell Batten 6ft Twin 50W  
4000K White Plug & Play



431291

Holywell Plus Batten 4ft Twin  
18W/36W 3CCT White Plug &  
Play



431292

Holywell Plus Batten 5ft Twin  
25W/50W 3CCT White Plug &  
Play

# Technical Specification

**Category:** Grafham Linear

**Part Number:** 430962

**Description:** Grafham 3.5W Conversion Pack 50-300V DC 0-40mA  
LifePO4 3.2V DC 3.2Ah Plug & Play E-SEL3 Emergency



431293

Holywell Plus Batten 6ft Twin  
28W/56W 3CCT White Plug &  
Play



431770

Howden Plus 450mm  
Bulkhead 18W/22W/26W/30W  
3CCT IP65 White



431350

Tamar Anti-Corrosive 2ft Twin  
10W/20W 4000K IP65 Grey  
Plug & Play



431351

Tamar Anti-Corrosive 4ft Twin  
20W/40W 4000K IP65 Grey  
Plug & Play



431352

Tamar Anti-Corrosive 5ft Twin  
25W/50W 4000K IP65 Grey  
Plug & Play



431353

Tamar Anti-Corrosive 6ft Twin  
30W/60W 4000K IP65 Grey  
Plug & Play



431341

Tempest Anti-Corrosive 5ft  
Twin 26W/46W 2CCT IP65  
Grey Plug & Play



431343

Tempest Anti-Corrosive 5ft  
Twin 70W 5000K IP65 Grey  
Plug & Play High Output



431342

Tempest Anti-Corrosive 6ft  
Twin 33W/62W 2CCT IP65  
Grey Plug & Play



431344

Tempest Anti-Corrosive 6ft  
Twin 78W 5000K IP65 Grey  
Plug & Play High Output



431317

Typhoon Anti Corrosive 4ft  
Twin 18W/36W 3CCT IP65  
Grey Plug & Play



431310

Typhoon Anti-Corrosive 4ft  
Single 19W 4000K IP65 Grey  
Plug & Play

# Technical Specification

**Category:** Grafham Linear

**Part Number:** 430962

**Description:** Grafham 3.5W Conversion Pack 50-300V DC 0-40mA  
LifePO4 3.2V DC 3.2Ah Plug & Play E-SEL3 Emergency



431311

431312

431318

431313

Typhoon Anti-Corrosive 4ft  
Twin 30W 4000K IP65 Grey  
Plug & Play

Typhoon Anti-Corrosive 5ft  
Single 20W 4000K IP65 Grey  
Plug & Play

Typhoon Anti-Corrosive 5ft  
Twin 25W/50W 3CCT IP65  
Grey Plug & Play

Typhoon Anti-Corrosive 5ft  
Twin 43W 4000K IP65 Grey  
Plug & Play



431314

431319

431315

Typhoon Anti-Corrosive 6ft  
Single 30W 4000K IP65 Grey  
Plug & Play

Typhoon Anti-Corrosive 6ft  
Twin 28W/56W 3CCT IP65  
Grey Plug & Play

Typhoon Anti-Corrosive 6ft  
Twin 50W 4000K IP65 Grey  
Plug & Play