

Technical Specification




Category: Grafham Panel

Part Number: 430971

Description: Grafham 2W E-SEL3 Emergency Conversion Pack 20-55V DC 130mA LiFePO4 3.2V DC 3.2 mAh Loch4 Connector



Product Features:



General information:

Wattage (W)	2
IP Rating	20
IK Rating	3
Paint Finish (RAL)	9011

Technical information:

Application Location	Both
Input Type	220-240V AC
Operating Temperature To	30
Product Warranty (Years)	5
Driver Brand	Lumineux
Socket	N/A
Frequency (Hz)	50 60
Install Options	BESA/Conduit
Install Type	LOCH 4 Quick Connector (Push Fit Terminal)
Replaceable Driver	Professional
Replaceable LED	Professional
Body Material	Polycarbonate
Maintained	Maintained/Non-Maintained
Emergency Wattage (W)	2.0
Emergency IP Rating	20
Cell Type	YH IFR18650 - LiFePO4
Capacity (mAh)	3200
Recharge Time (Hours)	24
Emergency Duration (Hours)	3
Charge Current (mA)	250
Battery Size (V/Ah)	3.2 / 3.2
Battery Temperature (To) (°C)	30
Module Length (mm)	232
Module Width (mm)	60
Module Height (mm)	30

Technical Specification

Category: Grafham Panel

Part Number: 430971

Description: Grafham 2W E-SEL3 Emergency Conversion Pack 20-55V DC 130mA LiFePO4 3.2V DC 3.2 mAh Loch4 Connector



Technical information:

Battery Length (mm)	650
Battery Width (mm)	40
Battery Height (mm)	20
Battery Discharge (mA)	130
Sensor Technology	Microwave

Compatible Products:



430203

Eyebrook Dome Downlight 4"
12W 3CCT IP54 White Semi-
Specular 80D



430204

Eyebrook Dome Downlight 6"
16W 3CCT IP54 White Semi-
Specular 80D



430205

Eyebrook Dome Downlight 6"
22W 3CCT IP54 White Semi-
Specular 80D



430206

Eyebrook Lens Downlight 4"
13W 4000K IP54 White UGR
Semi-Specular 60D



430207

Eyebrook Lens Downlight 6"
18W 4000K IP54 White UGR
Semi-Specular 60D



430208

Eyebrook Lens Downlight 6"
25W 4000K IP54 White UGR
Semi-Specular 60D



430209

Eyebrook Lens Downlight 6"
35W 4000K IP54 White UGR
Semi-Specular 60D



430695

Tunstall Downlight 4" 6W/8W
3CCT White

Technical Specification

Category: Grafham Panel

Part Number: 430971

Description: Grafham 2W E-SEL3 Emergency Conversion Pack 20-55V DC 130mA LiFePO4 3.2V DC 3.2 mAh Loch4 Connector



430696

Tunstall Downlight 6"
10W/15W 3CCT White



430697

Tunstall Downlight 8"
20W/30W 3CCT White



430726

Weston Backlit Downlight 10W
4000K TP(a) White



430727

Weston Backlit Downlight 15W
4000K TP(a) White



430728

Weston Backlit Downlight 20W
4000K TP(a) White



430729

Weston Backlit Downlight 24W
4000K TP(a) White



430725

Weston Backlit Downlight 7W
4000K TP(a) White



431274

Wraysbury Backlit Panel
1200x600 48W 3CCT White
UGR TP(a)



431272

Wraysbury Backlit Panel
600x600 28W 3CCT White
UGR TP(a)



431270

Wraysbury Backlit Panel
600x600 30W 4000K White



431270-MP

Wraysbury Backlit Panel
600x600 30W 4000K White 10
Pack



431271

Wraysbury Backlit Panel
600x600 30W 4000K White
UGR TP(a)

Technical Specification

Category: Grafham Panel

Part Number: 430971

Description: Grafham 2W E-SEL3 Emergency Conversion Pack 20-55V DC 130mA LiFePO4 3.2V DC 3.2 mAh Loch4 Connector



431271-MP

430060

431273

Wraysbury Backlit Panel
600x600 30W 4000K White
UGR TP(a) 10 Pack

Wraysbury Indirect Panel
600x600 30W 4000K White
UGR TP(a)

Wraysbury Plus Backlit Panel
600x600 18W 4000K White
UGR TP(a)