PENDANT

Blakely Retail Pendant

Blakeley Wattage & 3CCT Selectable Retail Pendant

Product code **431410**



Power	**36W / 48W / 60W**
Luminous flux	**5,900 / 7,400 / 9,300 lm**
Efficacy	**155 lm/W**
Colour temperature	**3000K / 4000K / 5000K**
Beam angle	**90°**
Protection	**IP44 · IK08**
Lifetime L70	**100,000 h**
Warranty	**5 years**

Introduction

Wattage and colour selectable, IP44, up to 155 lm/W.

Features

- Wattage Selectable: 36W/48W/60W
- CCT Selectable: 3000K, 4000K, 5000K
- Compact modern cylindrical mounted design
- Easy installation
- Low glare polycarbonate reflector
- 5 Year Product Warranty

Certification and options



Recommended applications

Retail, hospitality, open-plan offices





Specification

Optical

Luminous flux	**5,900 / 7,400 / 9,300 lm**
Efficacy	**155 lm/W**
Colour temperature	**3000K / 4000K / 5000K**
Colour selection	**3CCT**
Colour rendering	**Ra 80**
Colour consistency	**5 SDCM**
Beam angle	**90°**

Electrical

Power	**36W / 48W / 60W**
Supply voltage	**220-240V AC**
Frequency	**50 Hz / 60 Hz**
Driver type	**CC**
Driver	**Upshine**

Lifetime and warranty

Lifetime L70	**100,000 h**
Energy class	**D**
Warranty	**5 years**
Replaceable driver	**Professional**
Replaceable light source	**Professional**

Construction


Ingress protection	**IP44**
Impact resistance	**IK08**
Electrical class	**Class I**
Body	**Aluminium**
Diffuser	**Polycarbonate**
Colour (RAL)	**RAL 9016**
Location	**Internal**
Dimensions (L x W x H)	**398 x 278 x 278 mm**
Weight	**1.974 kg**

Installation

Connection	**Flying Lead**
Ambient temperature	**-30 to +50 °C**

Values are nominal. Luminous flux and efficacy are for the complete luminaire. Specifications may change without notice; the product page always carries the latest version.

Dimensions



DOWNLOADS

Photometric files (LDT), installation instructions and the latest datasheet are on the product page:

www.lumineux.co.uk/shop/431410-blakeley-retail-pendant-36w-48w-60w-3cct-white-56696

WARRANTY AND SUPPORT

5 years warranty. Terms at www.lumineux.co.uk/product-warranty-on-site-warranty.

Free lighting design and technical support: 01507 328031, support@lumineux.co.uk