DOWNLIGHT

Eldwick

Eldwick Retail Downlight 4" 45W 4000K White 24D

Product code **421052**



Power	**45W**
Luminous flux	**4,200 lm**
Efficacy	**90 lm/W**
Colour temperature	**4000K**
Beam angle	**24°**
Protection	**IP20 · IK03**
Lifetime L70	**40,000 h**
Warranty	**3 years**

Introduction

4000K, IP20, up to 110 lm/W.

Recommended applications

Offices, corridors, retail, hospitality

Specification

Optical

Luminous flux	**4,200 lm**
Efficacy	**90 lm/W**
Colour temperature	**4000K**
Colour rendering	**Ra 80**
Beam angle	**24°**

Electrical

Power	**45W**
Supply voltage	**220-240V AC**
Frequency	**50 Hz / 60 Hz**

Lifetime and warranty

Lifetime L70	**40,000 h**
Energy class	**F**
Warranty	**3 years**
Replaceable driver	**No**
Replaceable light source	**No**

Construction

Ingress protection	**IP20**
Impact resistance	**IK03**
Electrical class	**Class II**
Finish	**Aluminium**
Location	**Internal**
Cut-out (mm)	**120**
Dimensions (L x W x H)	**180 x 180 x 129 mm**

Installation

Mounting	**BESA/Conduit**
Connection	**Push Terminal**
Ambient temperature	**-20 to +40 °C**

Values are nominal. Luminous flux and efficacy are for the complete luminaire. Specifications may change without notice; the product page always carries the latest version.

Ordering information · Eldwick

CODE	DESCRIPTION	POWER	LUMINOUS FLUX	EFFICACY	CCT	BEAM
421049	Eldwick Retail Downlight 4" 20W 4000K White 24D	20W	2,000	110 lm/W	4000K	24°
421052	**Eldwick Retail Downlight 4" 45W 4000K White 24D**	**45W**	**4,200**	**90 lm/W**	**4000K**	**24°**

DOWNLOADS

Photometric files (LDT), installation instructions and the latest datasheet are on the product page:

www.lumineux.co.uk/shop/421052-dl500-led-retail-downlight-45w-4000k-white-57980

WARRANTY AND SUPPORT

3 years warranty. Terms at www.lumineux.co.uk/product-warranty-on-site-warranty.

Free lighting design and technical support: 01507 328031, support@lumineux.co.uk