GRAFHAM PANEL

truSmart Grafham E-SEL3 Emergency Conversion Pack 20-55V DC 130mA 2.5W Max LifePO4 3.2V DC 3.2Ah Output No Lead forTunable Panel

Image Coming Soon

truSmart Grafham E-SEL3 Emergency Conversion Pack 20-55V DC 130mA 2.5W

Product code **440029-E3**

Certification and options



Specification

Electrical

Frequency	**50 Hz / 60 Hz**

Installation

Ambient temperature	**0 to +30 °C**

Values are nominal. Specifications may change without notice; the product page always carries the latest version.

Compatible modules and accessories

CODE	DESCRIPTION
440039	truSmart Licence Node SaaS platform

DOWNLOADS

Photometric files (LDT), installation instructions and the latest datasheet are on the product page:

www.lumineux.co.uk/shop/440029-e3-trusmart-grafham-e-sel3-emergency-conversion-pack-20-55v-dc-130ma-2-5w-max-lifepo4-3-2v-dc-3-2ah-output-no-lead-fortunable-panel-60001

WARRANTY AND SUPPORT

Terms at www.lumineux.co.uk/product-warranty-on-site-warranty.

Free lighting design and technical support: 01507 328031, support@lumineux.co.uk