BLACKBURN

truSmart Blackburn

truSmart Blackburn Indirect Panel - 600x600 White PIR

Product code **440102**

Power	**30W**
Luminous flux	**3,900 lm**
Efficacy	**130 lm/W**
Colour temperature	**3000 - 6000K**



Features

- Built in PIR/Daylight Sensor
- Optic lens for even light distribution
- Control/Group via the truSmart App
- Flicker free driver
- Wireless control
- Microprismatic TP (a) diffuser to achieve UGR <19

Certification and options



Tunable white | Ingress protection | UKCA marked | CE marked



Specification

Optical

Luminous flux	**3,900 lm**
Efficacy	**130 lm/W**
Colour temperature	**3000 - 6000K**

Electrical

Power	**30W**
Frequency	**50 Hz / 60 Hz**

Lifetime and warranty

Replaceable driver	**No**
Replaceable light source	**No**

Values are nominal. Luminous flux and efficacy are for the complete luminaire. Specifications may change without notice; the product page always carries the latest version.

Compatible modules and accessories

CODE	DESCRIPTION
440039	truSmart Licence Node SaaS platform

DOWNLOADS

Photometric files (LDT), installation instructions and the latest datasheet are on the product page:

www.lumineux.co.uk/shop/440102-trusmart-blackburn-indirect-panel-600x600-tp-a-ugr-30w-tunable-smb-white-pir-60519

WARRANTY AND SUPPORT

Terms at www.lumineux.co.uk/product-warranty-on-site-warranty.

Free lighting design and technical support: 01507 328031, support@lumineux.co.uk