EMERGENCY LIGHTING

Lumiwave Triton Exit Blade 2W White Maintained

Lumiwave Triton Exit Blade 2W

Product code **470083-WH**



Power	**2W**
Colour temperature	**6500K**
Protection	**IP20 · IK06**
Warranty	**5 years**


Introduction

6500K, IP20.

Features

- LiFePO4 battery technology
- Suspension Kit available
- Complete set of arrow legends (6 pcs)
- Battery temperature protection
- 30M Viewing Distance

Certification and options



UKCA marked · Ingress protection · Lithium battery · CE marked

Recommended applications

Escape routes, open areas, stairwells





Specification

Optical

Colour temperature	**6500K**

Electrical

Power	**2W**
Supply voltage	**220-240V AC**
Frequency	**50 Hz / 60 Hz**

Lifetime and warranty

Warranty	**5 years**

Construction

Ingress protection	**IP20**
Impact resistance	**IK06**
Electrical class	**Class II**
Body	**Polycarbonate**
Diffuser	**Polycarbonate**
Colour (RAL)	**RAL 9016**
Viewing distance	**30 m**
Dimensions (L x W x H)	**360 x 234 x 48 mm**

Installation


Ambient temperature	**0 to +40 °C**

Emergency

Battery height (mm)	**18**
Battery length (mm)	**65**
Battery (V / Ah)	**3.2**
Battery temperature, max. (°C)	**30**
Battery width (mm)	**18**
Battery capacity	**2,000 mAh**
Cell type	**LiFeP04**
Duration	**3 h**
Mode	**Non-Maintained**
Emergency power	**2.0 W**
Recharge time	**24 h**

Values are nominal. Luminous flux and efficacy are for the complete luminaire. Specifications may change without notice; the product page always carries the latest version.

Dimensions



Compatible modules and accessories

	CODE	DESCRIPTION
	470029-WH	LumiWave Triton Exit Sign Flag Mount White
	470096-WH	Lumiwave Triton Exit Blade Suspension Kit White

DOWNLOADS

Photometric files (LDT), installation instructions and the latest datasheet are on the product page:

www.lumineux.co.uk/shop/470083-wh-lumiwave-triton-exit-blade-2w-24m-6500k-white-maintained-63147

WARRANTY AND SUPPORT

5 years warranty. Terms at www.lumineux.co.uk/product-warranty-on-site-warranty.

Free lighting design and technical support: 01507 328031, support@lumineux.co.uk