LINEAR

Jura

truSmart Jura Decorative Linear

Product code **440075**



Power	**30W**
Luminous flux	**4,400 lm**
Efficacy	**138 lm/W**
Colour temperature	**4000K**
Beam angle	**110°**
Protection	**IP40 · IK06**
Lifetime L70	**258,000 h**
Warranty	**5 years**

Specification

Optical

Luminous flux	**4,400 lm**
Efficacy	**138 lm/W**
Colour temperature	**4000K**
Colour rendering	**Ra 80**
Colour consistency	**3 SDCM**
Beam angle	**110°**
Glare (UGR)	**<19**
Flicker	**Flicker Free**

Construction

Ingress protection	**IP40**
Impact resistance	**IK06**
Electrical class	**Class I**
Body	**Steel**
Diffuser	**Polycarbonate**
Diffuser fire rating	**TP(a)**
Socket	**Zhaga**
Dimensions (L x W x H)	**1285 x 180 x 24 mm**

Electrical

Power	**30W**
Supply voltage	**220-240**
Frequency	**50 Hz / 60 Hz**
Driver type	**Non Isolation**
Driver	**Boke**
Dimming	**0-10**

Installation

Mounting	**Conduit**
Connection	**Push Fit**
Ambient temperature	**-20 to +45 °C**

Lifetime and warranty

Lifetime L70	**258,000 h**
Lifetime L80	**162,000 h**
Lifetime L90	**78,000 h**
Warranty	**5 years**
Replaceable driver	**Professional**
Replaceable light source	**Professional**

Values are nominal. Luminous flux and efficacy are for the complete luminaire. Specifications may change without notice; the product page always carries the latest version.

Compatible modules and accessories

	CODE	DESCRIPTION
	430150	Ridgegate Bulkhead 8W/10W/14W 3CCT IP65 White Plug & Play

DOWNLOADS

Photometric files (LDT), installation instructions and the latest datasheet are on the product page:

www.lumineux.co.uk/shop/440075-trusmart-jura-decorative-linear-1200mm-4000k-white-pir-63296

WARRANTY AND SUPPORT

5 years warranty. Terms at www.lumineux.co.uk/product-warranty-on-site-warranty.

Free lighting design and technical support: 01507 328031, support@lumineux.co.uk