

Hatherton

Category: Hatherton

Part Number: 431132-M3-MW

Description: Hatherton Multi Bulkhead 12W/16W/18W 3CCT IP66
White Plug & Play Emergency & Microwave Step-Dim



Product Features:

- Standard, step dim microwave and emergency options available
- Tough and durable body with polycarbonate diffuser
- Wall and ceiling mount
- LED lifespan 60,000 hours L70
- X4 20mm conduit entry points



General information:

| | |
|------------------------|-----------------------|
| Wattage (W) | 12 / 16 / 18 |
| Lumens (lm) | 1,450 / 1,800 / 1,950 |
| Efficacy (lm/W) | 124 |
| Colour Temperature (K) | 3000 / 4000 / 6000 |
| CCT | 3CCT |
| IP Rating | 66 |
| IK Rating | 8 |
| Class Rating | 1 |
| Energy Rating | D |
| Flicker | Flicker Free |
| Dimmable | Fixed |
| L70 Hours | 60000 |
| Paint Finish (RAL) | 9016 |

Technical information:

| | |
|----------------------------------|---------------------------|
| Application Location | Internal |
| Emergency Output (lm) | 150 |
| Beam Angle | 140 |
| CRI | 80 |
| Input Type | 220-240V AC |
| Driver Type | CC |
| Operating Temperature From | -20 |
| Operating Temperature To | 40 |
| Product Warranty (Years) | 5 |
| Driver Brand | Lumineux |
| Socket | N/A |
| Frequency (Hz) | 50 60 |
| Diffuser Material | Polycarbonate |
| Install Options | BESA/Conduit |
| Install Type | Push Terminal |
| Replaceable Driver | Professional |
| Replaceable LED | Professional |
| Body Material | ABS |
| Maintained | Maintained/Non-Maintained |
| Emergency Wattage (W) | 2.0 |
| Emergency IP Rating | 20 |
| Cell Type | IFR18650 - LiFePO4 |
| Capacity (mAh) | 2000 |
| Recharge Time (Hours) | 24 |
| Emergency Duration (Hours) | 3 |
| Emergency Output (Standalone lm) | 150 |
| Charge Current (mA) | 300 |
| Battery Size (V/Ah) | 3.2 / 2 |

Hatherton

Category: Hatherton



Part Number: 431132-M3-MW

Description: Hatherton Multi Bulkhead 12W/16W/18W 3CCT IP66
White Plug & Play Emergency & Microwave Step-Dim



Technical information:

| | |
|-------------------------------|--|
| Battery Temperature (To) (°C) | 30 |
| Module Length (mm) | 125 |
| Module Width (mm) | 71 |
| Module Height (mm) | 31 |
| Battery Length (mm) | 650 |
| Battery Width (mm) | 18 |
| Battery Height (mm) | 18 |
| Sensor Technology | Microwave |
| Sensor Type | Step-Dim |
| Max. Mounting Height (m) | 4 |
| Hold Time | 5s / 30s / 60s / 3min / 5min / 10min / Permanent |
| Detection Radius | 5 x 4 |
| Standby Power | 1.0 |
| Standalone/Grouping | Standalone |



Hatherton

Category: Hatherton

Part Number: 431132-M3-MW

Description: Hatherton Multi Bulkhead 12W/16W/18W 3CCT IP66
White Plug & Play Emergency & Microwave Step-Dim



Compatible Products:



401595

Hatherton Multi Bulkhead
Decorative Bezel Black



401592

Hatherton Multi Bulkhead
Eyelid Bezel Black



401589

Hatherton Multi Bulkhead Full
Bezel Black



401588

Hatherton Multi Bulkhead Full
Bezel White



401598

Hatherton Multi Bulkhead Grill
Bezel Black